


Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

Software Impacts

journal homepage: www.journals.elsevier.com/software-impacts

Original software publication

oemof.solph—A model generator for linear and mixed-integer linear optimisation of energy systems



Uwe Krien ^{a,*}, Patrik Schönfeldt ^b, Jann Launer ^c, Simon Hilpert ^{d,e}, Cord Kaldemeyer ^{d,f,e}, Guido Pleßmann ^c

^a Department Resilient Energy Systems, University of Bremen, Enrique-Schmidt-Str. 7, 28359 Bremen, Germany

^b DLR Institute of Networked Energy Systems, Carl-von-Ossietzky-Str. 15, 26129 Oldenburg, Germany

^c Reiner Lemoine Institut, Rudower Chaussee 12, 12489 Berlin, Germany

^d Europa-University Flensburg, Auf dem Campus 1, 24943 Flensburg, Germany

^e Zentrum für nachhaltige Energiesysteme, Munketoft 3b/119, 24937 Flensburg, Germany

^f Flensburg University of Applied Sciences, Kanzleistraße 91–93, 24943 Flensburg, Germany

ARTICLE INFO

Keywords:

Energy system modelling
Dispatch optimisation
Optimal sizing
Mixed integer linear programming

ABSTRACT

Energy system modelling is of high importance to investigate different scenarios in their technical, economical and environmental feasibility. The interplay of different technologies and energy flows in respective models can be represented as directed graphs in a generic but comprehensible formalism. However, additional effort is needed to create specific models and to derive an optimal sizing or operation of components. To tackle this problem, oemof.solph facilitates the formulation of (mixed-integer) linear programs from a generic object-oriented structure. Its structure allows to create models on different levels of detail by means of predefined components and an optional formulation of additional expressions and constraints. With its open and documented code base, extensive collection of examples and an active community it is useful across many levels, from simple applications to advanced modelling.

Code metadata

Current code version	v0.4.2dev0
Permanent link to code/repository used for this code version	https://github.com/SoftwareImpacts/SIMPAC-2020-25
Permanent link to reproducible capsule	https://codeocean.com/capsule/8999562/tree/v1
Legal Code License	MIT
Code versioning system used	git
Software code languages, tools, and services used	Python (available for any OS)
Compilation requirements, operating environments & dependencies	blinker, dill, numpy, pandas, pyomo, networkx
If available Link to developer documentation/manual	https://oemof-solph.readthedocs.io
Support email for questions	contact@oemof.org

Software metadata

Current software version	v0.4.1 [1]
Permanent link to executables of this version	https://pypi.org/project/oemof.solph/
Permanent link to Reproducible Capsule	https://codeocean.com/capsule/8999562/tree/v1
Legal Code License	MIT
Software code languages, tools, and services used	Python (available for any OS)
Compilation requirements, operating environments & dependencies	blinker, dill, numpy, pandas, pyomo, networkx
If available Link to user manual — if formally published include a reference to the publication in the reference list	https://oemof-solph.readthedocs.io/en/stable/
Support email for questions	contact@oemof.org

The code (and data) in this article has been certified as Reproducible by Code Ocean: (<https://codeocean.com/>). More information on the Reproducibility Badge Initiative is available at <https://www.elsevier.com/physical-sciences-and-engineering/computer-science/journals>.

* Corresponding author.

E-mail addresses: krien@uni-bremen.de (U. Krien), patrik.schoenfeldt@dlr.de (P. Schönfeldt).

<https://doi.org/10.1016/j.simpa.2020.100028>

Received 3 August 2020; Accepted 4 August 2020

1. About solph and oemof

The solph package [1] is part of the open energy modelling framework (oemof), which has been developed to model integrated energy systems [2]. Its basis is a graph structure consisting of buses and components connected by directed edges representing the flow of energy carriers and resources, their conversion and consumption. This structure allows to model different sectors of the energy system equivalently. Whereas the graph holds information on the topology and relationships between the nodes, solph converts this graph into an optimisation model.

It is implemented in Python based on the optimisation package pyomo [3]. In combination with the object-oriented graph based data model, modelling does neither require deep knowledge about mathematical optimisation nor an (algebraic) modelling language to implement linear (LP) and mixed-integer linear (MILP) problems. Instead, it can be undertaken by comprehensive domain-specific, in this case energy system, knowledge.

Within the workflow, different versions of an energy system model are built:

1. The oemof graph version is created.
2. The associated pyomo optimisation instance is constructed.
3. The model is passed to an external solver (for example using the LP file format).

The solver optimises for minimal costs that can be economic, environmental, technical or any other type of cost. Currently, users can create economic dispatch and unit commitment models with an additional investment optimisation. Due to the modular structure of the package, the API and underlying mathematical constraints of new components can be developed and reviewed individually. This allows to review, discuss, improve and add components in a collaborative process within the community and beyond. A comparison with other (linear) optimisation tools [4,5] has proven consistency of results.

2. Contribution to the scientific community

The research area of energy system analysis faces different challenges which lie in an increasing complexity, higher levels of uncertainty and more interdisciplinary properties of energy systems [6]. Moreover, the challenges of energy system modelling [7] have brought up the demand for suitable tools to better address scientific standards [8,9]. The latter were among the main drivers for the design of the oemof framework and the solph package, respectively [2]. Based on the previous experience with building energy system models, the initial development of oemof aimed to contribute to the scientific community through the following features:

Supporting reusability

A strong motivation to build oemof.solph is to avoid double-work. It is intended to relieve modellers from programming utility code and let them focus on their core task: modelling energy systems. To facilitate this, the source code has to be well tested and documented. Validation, including unit testing and usage within a community and many use cases, reduces the likeliness of bugs and creates a tested code base. Finally, a detailed documentation with many examples lowers the entry barrier for new users in the field of energy modelling. Therefore, oemof.solph is also suitable for projects and studies in which modelling is not the main focus or projects with a limited time budget. Beyond citations in scientific publications, usage itself remains almost invisible. However, a number of studies has been published, not only in scientific

journals. Solph¹ is used by a number of other open source projects on GitHub [10,11]. Additionally, we get support questions from companies in the consulting and energy sector work with oemof.solph.

Building a developer community

Since the very beginning of oemof's development it was a strongly pursued goal to create a developer community that is open for members from various institutions. Such research groups value the existing code base as well as the possibility to discuss extensions in the community and to get a review for new components or additions to oemof.solph from other modellers. Since the beginning, new research groups from other institutions joined the developer team. For example, researchers of the projects Quarree100 [12] and EnAQ [13]. Both users at different levels and new developers, attend the oemof developer and user meetings that are held on a regular basis.

Supporting open science principles and transparency

Using solph it is possible to publish studies following Open Science and transparency rules. The permissive open source license facilitates users to build an open science tool chain. Models for the electricity sector [14–16] and for district heating grids [17] are show-casing how to implement a model chain incorporating open data from OpenStreetMap. Even without building a fully automatised tool chain, the permissive license of the oemof.solph's code facilitates to publish the model alongside with the data. This was done for a study about the validation of exit strategies for lignite and coal in Brandenburg [18].

Integrating a modelling toolbox

While oemof is meant to be a software cosmos, suitable for building model-chains and providing easy-to-use libraries and tools for energy system modelling, as of today, solph is the most recognised library of the framework. Thus, most studies citing oemof also use solph. However, there are also examples that use exclusively specific other oemof packages such as *demandlib* [19] for load curve generation [20], *TESPy* [21] for thermal engineering systems or the *windpowerlib* [22] for wind power feed-in calculation based on weather data.

3. Specific impact on research

The oemof.solph library is used for a wide variety of research questions. Its generic design allows to model energy systems in any possible combination of sectors. For the electricity sector, example publications discuss adding storage to existing supply [23,24] – in one case in addition to electrification of agricultural machines [25]. Others analyse the possible vulnerability for future energy systems [26], or optimise of the utilisation of pumped energy storage in Switzerland [27]. The possible integration of more renewable energy has been investigated for the case of Italy using both, a fixed model [28,29] and linear invest optimisation showing pathways to more renewable energies [30]. Other uses include the layout of a complete mini-grid [31–33], or providing the technical side of study social and ecological factors in energy system modelling [34–36]. For the heat sector, studies exist that determine the optimal size of heat and cold storage [37,38], check the use of district heating for demand side management [28], do a life cycle analysis [39], or increase the model accuracy using a pre-calculated fluctuating temperature supply [40]. Others use the solph for dispatch optimisation

¹ Note that some dependencies still point to the oemof and not to the oemof-solph repository.

inside a non-linear size-optimisation heuristics for electricity and heat supply [41], or compare different mobility options [42].

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgments

U.K. and P.S. acknowledge funding by the Federal Ministry for Economic Affairs and Energy (BMWi), Germany and the Federal Ministry of Education and Research (BMBF) of Germany (grant number 03SBE113B and 03SBE111, respectively).

References

- [1] Oemof Developer Group, Oemof.solph - A Model Generator for Energy Systems - V0.4.1, Zenodo, 2020, <http://dx.doi.org/10.5281/ZENODO.3906081>.
- [2] S. Hilpert, C. Kaldemeyer, U. Krien, S. Günther, C. Wingenbach, G. Plessmann, The Open Energy Modelling Framework (oemof) - A new approach to facilitate open science in energy system modelling, *Energy Strategy Rev.* 22 (2018) 16–25, <http://dx.doi.org/10.1016/j.esr.2018.07.001>.
- [3] W.E. Hart, C. Laird, J.-P. Watson, D.L. Woodruff, *Pyomo-optimization modeling in python*, in: *Springer Optimization and Its Applications*, vol. 67, Springer, 2012.
- [4] L. Kriechbaum, G. Scheiber, T. Kienberger, Grid-based multi-energy systems-modelling, assessment, open source modelling frameworks and challenges, *Energy Sustain. Soc.* 8 (1) (2018) 35, <http://dx.doi.org/10.1186/s13705-018-0176-x>.
- [5] G. Scheiber, *Gesamtheitliche Modellierung von leitungsgebundenen Energiesystemen mit exergetischer Bewertung* (Master's thesis), Montanuniversität Leoben, 2018, URL [https://pure.unileoben.ac.at/portal/en/persons/gerhild-scheiber\(1c7945db-fd67-4f93-aa55-b40bfc3121b\)/publications.html](https://pure.unileoben.ac.at/portal/en/persons/gerhild-scheiber(1c7945db-fd67-4f93-aa55-b40bfc3121b)/publications.html).
- [6] F. Wiese, S. Hilpert, C. Kaldemeyer, G. Pleßmann, A qualitative evaluation approach for energy system modelling frameworks, *Energy Sustain. Soc.* 8 (1) (2018) 13, <http://dx.doi.org/10.1186/s13705-018-0154-3>.
- [7] S. Pfenninger, A. Hawkes, J. Keirstead, Energy systems modeling for twenty-first century energy challenges, *Renew. Sustain. Energy Rev.* 33 (2014) 74–86, <http://dx.doi.org/10.1016/j.rser.2014.02.003>, URL <http://www.sciencedirect.com/science/article/pii/S1364032114000872>.
- [8] S. Pfenninger, J. DeCarolis, L. Hirth, S. Quoilin, I. Staffell, The importance of open data and software: Is energy research lagging behind? *Energy Policy* 101 (2017) 211–215, <http://dx.doi.org/10.1016/j.enpol.2016.11.046>, URL <http://www.sciencedirect.com/science/article/pii/S0301421516306516>.
- [9] S. Pfenninger, L. Hirth, I. Schlecht, E. Schmid, F. Wiese, T. Brown, C. Davis, B. Fais, M. Gidden, H. Heinrichs, C. Heuberger, S. Hilpert, U. Krien, C. Matke, A. Nebel, R. Morrison, B. Müller, G. Plessmann, M. Reeg, J.C. Richtein, A. Shivakumar, I. Staffell, T. Tröndle, C. Wingenbach, Opening the black box of energy modelling: strategies and lessons learned, 2017, ArXiv e-prints, [arXiv:1707.08164](https://arxiv.org/abs/1707.08164).
- [10] Oemof Dependents, URL <https://github.com/oemof/oemof/network/dependents>.
- [11] Oemof.solph Dependents, URL <https://github.com/oemof/oemof-solph/network/dependents>.
- [12] J. Röder, D. Beier, B. Meyer, J. Nettelstroth, T. Stührmann, E. Zondervan, Design of renewable and system-beneficial district heating systems using a dynamic emission factor for grid-sourced electricity, *Energies* 13 (3) (2020) 619, <http://dx.doi.org/10.3390/en13030619>.
- [13] S. Wehkamp, L. Schmeling, L. Vorspel, F. Roelcke, K.-L. Windmeier, District energy systems: Challenges and new tools for planning and evaluation, *Energies* 13 (11) (2020) <http://dx.doi.org/10.3390/en13112967>.
- [14] U.P. Müller, I. Cussmann, C. Wingenbach, J. Wendiggensen, AC Power flow simulations within an open data model of a high voltage grid, in: V. Wohlgemuth, F. Fuchs-Kittowski, J. Wittmann (Eds.), *Advances and New Trends in Environmental Informatics*, Springer International Publishing, Cham, 2017, pp. 181–193, http://dx.doi.org/10.1007/978-3-319-44711-7_15.
- [15] U.P. Müller, L. Wienholt, D. Kleinhans, I. Cussmann, W.-D. Bunke, G. Pleßmann, J. Wendiggensen, The eGo grid model: An open source approach towards a model of German high and extra-high voltage power grids, *J. Phys. Conf. Ser.* 977 (2018) 012003, <http://dx.doi.org/10.1088/1742-6596/977/1/012003>.
- [16] C. Wingenbach, S. Hilpert, S. Günther, Entwicklung eines Open Source Energie-Modells für Schleswig-Holstein(openMod.sh), Tech. Rep., 2017, URL <https://www.uni-flensburg.de/fileadmin/content/abteilungen/industrial/dokumente/downloads/veroeffentlichungen/forschungsergebnisse/openmodsh-endbericht-1.pdf>.
- [17] J. Röder, 2019, [link] URL https://github.com/quarree100/dhs_optimization.
- [18] E. Gaudchau, B. Müller, J. Twele, B. Schachler, J. Fortmann, Kohleausstieg à la Brandenburg – funktioniert die Energiestrategie 2030 der Brandenburger Landesregierung?, Tech. Rep., 2017, URL https://www.gruene-fraktion-brandenburg.de/fileadmin/ltf_brandenburg/Dokumente/Publikationen/Untersuchungen_zur_Energiestrategie_2030.pdf.
- [19] U. Krien, G. Plessmann, J. Launer, B. Schachler, C. Möller, H. Hyskens, S. Bosch, Pyosch, Demandlib (oemof) – creating heat and power demand profiles from annual values - v0.1.6, 2019, <http://dx.doi.org/10.5281/zenodo.2553505>.
- [20] M. Kouhia, T. Laukkanen, H. Holmberg, P. Ahtila, District heat network as a short-term energy storage, *Energy* 177 (2019) 293–303, <http://dx.doi.org/10.1016/j.energy.2019.04.082>.
- [21] F. Witte, *Thermal Engineering Systems in Python*, Zenodo, 2020, <http://dx.doi.org/10.5281/zenodo.2555866>.
- [22] S. Haas, B. Schachler, U. Krien, S. Bosch, Windpowerlib: A Python Library to Model Wind Power Plants (V0.1.0), Zenodo, 2019, <http://dx.doi.org/10.5281/zenodo.2542896>.
- [23] C. Möller, K. Kuhnke, M. Reckzügel, H. Pfisterer, S. Rosenberger, Energy storage potential in the Northern German region Osnabrück-Steinfurt, in: 2016 International Energy and Sustainability Conference, IESC, 2016, pp. 1–7, <http://dx.doi.org/10.1109/IESC.2016.7569497>.
- [24] C. Kaldemeyer, C. Boysen, I. Tuschy, Compressed air energy storage in the german energy system – status quo and perspectives, in: 10th International Renewable Energy Storage Conference, IRES 2016, 15–17 March 2016, Düsseldorf, Germany, *Energy Procedia* 99 (2016) 298–313, <http://dx.doi.org/10.1016/j.egypro.2016.10.120>.
- [25] M. Stöhr, B. Hackenberg, Enhancing synergy effects between the electrification of agricultural machines and renewable energy deployment with semi-stationary energy storage in rural grids, in: 12th International Renewable Energy Storage Conference, IRES 2018, 13-15 March 2018, Düsseldorf, Germany, *Energy Procedia* 155 (2018) 179–187, <http://dx.doi.org/10.1016/j.egypro.2018.11.057>.
- [26] U. Brand, B. Giese, A. von Gleich, K. Heinbach, U. Petschow, C. Schnülle, S. Stührmann, T. Stührmann, P. Thier, J. Wachsmuth, H. Wigger, Resiliente Gestaltung der Energiesysteme am Beispiel der Transformationsoptionen EE-Methan-System und Regionale Selbstversorgung, Tech. Rep., 2017, URL http://www.transformation-des-energiesystems.de/sites/default/files/RESYSTRA_Schlussbericht.pdf.
- [27] R. Limpach, *Modelling the Impacts of an Increased Electricity-Based Mobility on the Future Energy System* (Master's thesis), ETH Zürich, Empa, 2019.
- [28] F. Fattori, L. Tagliabue, G. Cassetti, M. Motta, Enhancing power system flexibility through district heating - potential role in the Italian decarbonisation, in: 2019 IEEE International Conference on Environment and Electrical Engineering and 2019 IEEE Industrial and Commercial Power Systems Europe, EEEIC / I CPS Europe, 2019, pp. 1–6, <http://dx.doi.org/10.1109/EEEIC.2019.8783732>.
- [29] F. Fattori, L. Tagliabue, G. Cassetti, M. Motta, NEMeSI (National Energy Model for a Sustainable Italy), Zenodo, 2019, <http://dx.doi.org/10.5281/zenodo.2654871>.
- [30] M.G. Prina, V. Casalicchio, C. Kaldemeyer, G. Manzolini, D. Moser, A. Wantschke, W. Sparber, Multi-objective investment optimization for energy system models in high temporal and spatial resolution, *Appl. Energy* 264 (2020) 114728, <http://dx.doi.org/10.1016/j.apenergy.2020.114728>, URL <http://www.sciencedirect.com/science/article/pii/S0306261920302403>.
- [31] A. Ghied, *Techno-economic Analysis fo Hybrid Energy System for Rural Electrification using Open Source energy Modeling Tool* (Ph.D. thesis), Pan African University, 2019, URL <http://repository.pauwes-cop.net/handle/1/359>.
- [32] P.B. Sarah Berendes, Sizing and optimization of hybrid mini-grids with microgrids – an open-source modelling tool, in: 3rd International Hybrid Power Systems Workshop, 2018.
- [33] S. Auer, J. Liß e, S. Mandha, C. Horn, Power-flow-constrained asset optimization for off-grid power systems using selected Open-Source frameworks, in: 4th International Hybrid Power Systems Workshop, 2019.
- [34] M. Christ, M. Soethe, M. Degel, C. Wingenbach, Wind energy scenarios for the simulation of the german power system until 2050: The effect of social and ecological factors, in: V. Wohlgemuth, F. Fuchs-Kittowski, J. Wittmann (Eds.), *Advances and New Trends in Environmental Informatics*, Springer International Publishing, Cham, 2017, pp. 167–180, http://dx.doi.org/10.1007/978-3-319-44711-7_14.
- [35] M. Wingenbach, Integration sozial-ökologischer Faktoren in die Energiesystemmodellierung am Beispiel von Entwicklungspfaden der Windenergie in Deutschland (Ph.D. thesis), Europa-Universität Flensburg, 2018, URL <https://d-nb.info/1189081202/34>.
- [36] T. Schinko, S. Bohm, N. Komendantova, E.M. Jamea, M. Blohm, Morocco's sustainable energy transition and the role of financing costs: a participatory electricity system modeling approach, *Energy Sustain. Soc.* 9 (1) (2019) <http://dx.doi.org/10.1186/s13705-018-0186-8>.

- [37] S. Köhler, F. Pleißner, H. Francke, J. Launer, C.P. Leusden, Provision of cooling in oman - a linear optimisation problem with special consideration of different storage options, in: The 13th International Renewable Energy Storage Conference 2019, IRES 2019, Atlantis Press, 2019/11, URL <https://www.atlantis-press.com/article/125923330>.
- [38] J. Wolf, C.P. Leusden, S. Köhler, J. Launer, Optimization of extended CHP plants with energy storages — an open-source approach, in: The 13th International Renewable Energy Storage Conference 2019, IRES 2019, Atlantis Press, 2019/11, URL <https://www.atlantis-press.com/article/125923327>.
- [39] M. Rämä, L. Sokka, E. Pursiheimo, K. Klobut, K. Koponen, INDIGO Planning tool - IndPT, 2019, <http://dx.doi.org/10.5281/zenodo.3238146>, URL https://zenodo.figshare.com/articles/INDIGO_Planning_tool_-_IndPT/8228984.
- [40] C. Boysen, C. Kaldemeyer, S. Hilpert, I. Tuschy, Integration of flow temperatures in unit commitment models of future district heating systems, *Energies* 12 (6) (2019) 1061, <http://dx.doi.org/10.3390/en12061061>.
- [41] L. Schmeling, P. Schönfeldt, P. Klement, S. Wehkamp, B. Hanke, C. Agert, Development of a decision-making framework for distributed energy systems in a German district, *Energies* 13 (3) (2020) <http://dx.doi.org/10.3390/en13030552>.
- [42] O. Arnhold, M. Fleck, K. Goldammer, F. Grüger, O. Hoch, B. Schachler, Transformation of the German energy and transport sector – a national analysis, in: J. Liebl (Ed.), *Netzintegration Der Elektromobilität 2017*, Springer Fachmedien Wiesbaden, Wiesbaden, 2017, pp. 9–21, http://dx.doi.org/10.1007/978-3-658-19293-8_3.